



colour laser printer

Accelerate your work



Phaser 7750

A3 Colour Printer

The full-spectrum printer

There's little room for compromise if you rely on colour to communicate ideas and solidify concepts. It's got to be exact every time you print, and you must be able to depend on your printer to get the job done on time. The Phaser 7750 colour laser printer has the complete feature set for the imaging and design professional: fast performance to keep pace, fully controllable and customisable colour output, and intelligent features that help speed projects through to completion.

Bright colours at high speed

The Phaser 7750 colour laser printer sets the pace for A3 laser printers. It speeds through the most complicated, high-coverage print jobs with ease, with impressive results, consistently. Bolstered by powerful system level components, the Phaser 7750 colour laser printer will deliver on time every time.

- 35 pages-per-minute – keeps productivity high.
- First-page-out time of less than 11 seconds and no long warm-up times.
- 715 MHz G4 PowerPC processor makes short work of complex documents and graphic-intensive layout files.
- Up to 1 GB of memory helps minimise print queues in production-oriented offices.
- Supports A3, SRA3 and Banner-sized paper.

Better colour by design

There's an impressive quality to Phaser 7750 prints. Colours are lifelike, the images are sharp... and the colours are the exact ones you specify. Emulsion Aggregation – Higher Gloss toner uses smaller, more uniform toner "particles" to bring more detail and clarity to every image. Plus, the Phaser 7750 printer is fully loaded with software to ensure that what you expect to see is what you get.

- Glossy, rich colours and rich, deep blacks.
- Resolution up to 1200 x 1200 dpi for lifelike, high-quality colour output.
- Remarkably consistent output over the length of the print run.
- TekColor colour correction is your visual guide to accurately simulating output colours of other devices, such as your computer screen or a printing press.
- Powerful PhaserMatch 3.0 and PhaserCal colour management and calibration software help you maintain colour accuracy from concept to final production – an essential tool when colour is crucial.



Easy to work with

A busy office or design studio needs to rely on its colour printer. The Phaser 7750 colour printer practically installs itself, and intelligent management features help it blend in nicely with brisk-paced businesses.

- Prints on a wide variety of media, from plain and glossy paper to card stocks, with excellent reliability.
- Driver installs with just four mouse clicks; you'll be printing in minutes.
- Front panel graphically displays remaining toner levels, so there are no surprises.
- PrintingScout and media size sensors and alerts help prevent unintended misprints.
- Up to five feeder trays support the full gamut of media for full production flexibility.
- Optional Finisher (standard in DXF configuration) adds stapling, collating and job offsetting features.



Phaser 7750DXF

Always Productive

The Phaser 7750 colour laser printer comes standard with a suite of software tools to aid productivity in today's complex office technology environments.

CentreWare IS Embedded Web Server provides easy printer management via your favorite web browser. Save time with configuration cloning and automatic installation, and access MaiLinX email alerts, consumables status, printer configurations, job accounting and automated support.

For enterprise-level printer management, server-based CentreWare Web makes it easy for IT administrators to install, configure, obtain reports and troubleshoot all Xerox and non-Xerox network devices simultaneously.

PrintingScout (instant pop-up Help) and PhaserSMART (remote diagnostic tool) ensure that your printer will be on-line, all the time.

High performance from start to finish

If you print a lot of multi-page documents, you'll find the Phaser 7750DXF configuration tremendously useful. We've added a High-Capacity Feeder ① to give you an additional universal tray and two A4-size trays for a total 3,150-sheet capacity. A Finisher ② simplifies your on-demand workload by stapling sets of up to 50 sheets and offset-stacking them for easy pick-up and distribution.

The Phaser 7750DN base configuration comes with automatic 2-sided printing and two versatile paper input trays: a 150-sheet multi-purpose Tray 1, ③ and a 500-sheet universal tray ④.

The Phaser 7750GX configuration adds a lower tray deck, containing three 500-sheet universal trays ⑤ ⑥ ⑦ for a total capacity of 2,150 sheets.



Phaser 7750GX

need more information?

Find it at www.xerox.com/office

See the Phaser 7750 printer in action.

Visit your Xerox reseller, or see a virtual demo:

www.xerox.com/office/7750demo

Services & Support. Learn about Total Satisfaction ServicesSM award-winning service: www.xerox.com/office/support

Get colour connected. Xerox Color Connection includes access to a special web site, newsletters, tutorials, product updates and great ideas: www.colorconnection.xerox.com

PhaserMatch 3.0. See how you can customise print profiles to match your exact specifications:

www.xerox.com/office/7750phasermatch



CONFIGURATIONS	7750B	7750DN	7750GX	7750DXF
Performance				
Print speed	35 ppm colour and black and white			
First page out	11 seconds			
Memory (Std / Max)	256 MB / 1 GB RAM	384 MB / 1 GB RAM	512 MB / 1 GB RAM	
Processor	715 MHz G4 class processor, Adobe PostScript 3, PCL5c			
Internal hard drive	Standard 20 GB internal hard drive			
Maximum duty cycle	150,000/month			
Print Quality				
Maximum resolution	1200 x 1200 dpi Enhanced 1200 x 600 dpi Standard	1200 x 1200 dpi Photo, Enhanced, Standard		
Networking				
Network connectivity	USB 2.0	10/100BaseTX Ethernet, USB 2.0		
Paper Handling				
Automatic 2-sided printing	Optional	Standard		
Paper input capability Standard	150-sheet Tray 1, 500-sheet Tray 2			
		1,500-sheet lower tray deck	1,000-sheet finisher (stapler/stacker) 2,500-sheet high-capacity feeder	
Productivity				
Standard features	Phaser Installer, Intelligent Ready, Job Pipelining			
	Custom Size Pages, Embedded Web Server, E-mail alerts, Enhanced PrintingScout, PhaserSMART, Job Accounting, Usage Analysis Tool, Booklet Printing, Smart Trays, Banner-size Printing, Proof/Secure/Saved Print, PDF 1.4 direct, Extended Font Storage, Job Collation			
	Optional	PhaserCal colour calibration	PhaserCal plus PhaserMatch 3.0 colour management	

SPECIFICATIONS

Network/Software

Printer management Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)

Font capabilities 137 Resident PS fonts and 81 PCL

Printer drivers Windows 9x (Peer-to-peer PhaserPort), Windows Me, Windows NT 4.x, Windows 2000/XP, MacOS 9.x/X, version 10.1 or higher, Novell NetWare 4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x, Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO).

Languages True Adobe®, PostScript®, 3™, PCL5c emulation with automatic sensing and switching.

Paper handling

Tray 1: 150-sheet Tray (standard) papers 65–220 gsm, coated, glossy, Phaser Digital Photo Paper, labels, envelopes, Phaser Trifold Brochures, Phaser Weatherproof paper, Phaser Postcards, Phaser 45-Series Transparency Film. *Media sizes:* A4, A5, A6, A3, B5 JIS, B4 JIS, ISO B5, SRA3™, US Letter, Executive, Statement, US Folio, Legal, Tabloid, Tabloid Extra™, Banner™, and Custom sizes; Envelopes: DL, B5, C6, C5, C4.

(*not available on B)

Tray 2: 500-sheet Tray (standard) 65–169 gsm papers, glossy coated paper, thin card stock, Phaser Weatherproof paper, Phaser 45-Series Transparency Film. *Media sizes:* A4, A5, A3, B5 JIS, B4 JIS, US Letter, Statement, US Folio, Legal, Tabloid, and Custom sizes.

Tray 3, 4, 5: 1,500-sheet lower tray deck (standard on GX) 65–169 gsm papers, glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes:* A4, A5, A3, B5 JIS, B4 JIS, US Letter, Statement, US Folio, Legal, Tabloid.

Tray 3, 4, 5: 2,500-sheet high capacity feeder (standard on DXF) 65–169 gsm papers, glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes:* Tray 3: A4, A5, A3, B5 JIS, B4 JIS, US Letter, Statement, US Folio, Legal, Tabloid. Tray 4, 5: A4, B5 JIS, US Letter.

Automatic 2-sided printing: 65–105 gsm.

Special features

PrintingScout Instantly displays pop-up Help if attention is needed during print jobs.

PhaserSMART provides automated internet-based support.

Auto Install automatically gets you printing over the network in seconds.

Productivity tools for the user: Secure Print™, Proof Print™, Saved Print™, Booklet printing, Intelligent Ready, Scaling, Watermarks, Collation™, Remote printing, Separation pages, N-up, MailLinX E-mail Alerts, Job Accounting, Job Pipelining, Extended font storage. (*not available on B)

Productivity tools for the IT manager: CentreWare IS Embedded Web Server, MailLinX E-mail Alerts, PrinterMap, CentreWare Printer Management Software.

Colour controls

Colour standards PANTONE®-approved solid-colour simulations, Adobe PostScript device-independent colour, CIE International colour standards, and support for ICC, ICM and Apple ColorSync colour management systems

Colour correction PhaserMatch 3.0, TekColor Dynamic Correction Colour Profiles selectable from the driver: Automatic, sRGB Display, sRGB Vivid, SWOP, Euroscale Commercial, SNAP, DIC Toyo, Black and White, None

PhaserMatch 3.0 colour management for custom profiles Standard 7750GX and DXF, Optional 7750B and 7750DN.

Operating

Dimensions 7750B and 7750DN: width: 644 mm, height: 493 mm, depth: 715 mm, weight: 88 kg.; 7750GX: width: 644 mm, height: 857 mm, depth: 715 mm, weight: 116 kg.; 7750DXF: width: 1194 mm, height: 1067 mm, depth: 715 mm, weight: 161 kg.

Environment Temperature: Storage: -20° to 50° C; Operating 10° to 32° C; Relative Humidity: Storage: 30% to 55%; Operating: 10% to 85%. Noise Level: 33dBA standby, 51 dBA running.

Electrical 110–127 VAC, 50/60 Hz, 220–240 VAC, 50/60 Hz Consumption: 230 W avg./1000 W max. ENERGY STAR qualified with ES option.

Regulatory FCC Part 15, Subpart A, UL listed to UL 1950, CSA certified to CSA-C22.2 No. 950, CE Mark applicable to directives 73/23 EEC and 89/336/EEC CDRH, EN 55022.

Unrivaled service and support

Behind every Xerox product is a large network of customer support that's unrivaled in the industry and available when you need it. Xerox service professionals use leading-edge technologies to keep you up and running. They're even linked to the engineers who designed your product, so you can be confident when you choose Xerox. And genuine Xerox supplies are always easily available.

MEDIA AND SUPPLIES

Phaser Colour Printing Media	
Phaser Premium Colour Printing Paper	
90 gsm, 500 sheets	
A4 (210 x 297 mm)	016136900
A3 (297 x 420 mm)	016170000
SRA3 (320 x 450 mm)	016190100
Phaser Premium Coated Cover Paper	
163 gsm, 100 sheets	
A4 (210 x 297 mm)	016182400
Glossy (216 gsm, 50 sheets)	
SRA3 (320 x 450 mm) 50 sheets	016195900
Matte (216 gsm, 100 sheets)	
A3 (297 x 420 mm)	103R01050
SRA3 (320 x 450 mm)	103R01005
Phaser Trifold Brochure	
176 gsm	
A4 (210 x 297 mm)	103R01019
Phaser Weatherproof Paper	
100 gsm, 150 sheets	
A4 (210 x 297 mm)	103R01021
Phaser 45-Series Premium Transparency Film	
50 sheets	
A4 (210 x 297 mm)	016179900
Phaser Colour Printing Labels	
100 sheets	
A4 (8 labels /sheet)	016181500
Phaser Digital Photo Paper	
157 gsm, 25 sheets	
A4 (210 x 297 mm)	016201000
Phaser Glossy Coated Paper	
148 gsm	
A3 (297 x 420 mm) 50 sheets	016171900
A4 (210 x 297 mm) 100 sheets	016170500
SRA3 (320 x 450 mm) 50 sheets	016194100
Phaser Postcards	
176 gsm, 100 sheets	
A4 (210 x 297 mm) 4 cards/sheet	103R01017
Consumables	
Toner Cartridges	
Black (32,000 pages)	106R00652
Cyan (22,000 pages)	106R00653
Magenta (22,000 pages)	106R00654
Yellow (22,000 pages)	106R00655
Routine Maintenance Items	
Imaging Unit (32,000 pages)	108R00581
Imaging Unit Kit (Qty: 4)	108R00582
Fuser (110 V) 60,000 pages	115R00025
Fuser (220 V) 60,000 pages	115R00026
Waste Cartridge (27,000 pages)	108R00575
Staple Pack (3 refills x 5,000 each)	016197100
Options and Upgrades	
128 MB Memory	ZMD128/A
256 MB Memory	ZMD256/A
512 MB Memory	097S03186
Lower Tray Deck (three 500-sheet Universal Trays)	097S03183
High-Capacity Feeder (one 500-sheet Universal tray, plus two 1,000-sheet A4 trays)	097S03182
Finisher (1,000-sheet)	097S03185
Printer Cart	ZCARTC/A
PhaserMatch 3.0	097S03187
Supplies Startup Kit, Metric Media	097S03144
Phaser 7750B to 7750DN Upgrade	097S03184

Capacities are approximate based on 5% coverage on an A4-size page

