



colour laser printer

Small size,  
**great colour,**  
exceptional value



# Phaser® 6130

## Colour Laser Printer

### Big news in colour printing.

Xerox makes colour the easy choice with the refreshingly office-friendly, value-packed Phaser 6130 colour laser printer. It's the compact printing solution that's powerful enough to handle all of your office printing demands with ease.



### Productive performance

**The Phaser 6130 printer delivers the performance your workgroup needs to make quick work of every print job.**

- Don't let its low price fool you. The network-ready Phaser 6130 means business for your small office or workgroup, providing real-world print productivity and a host of built-in features.
- Superior laser printing gets your jobs out fast, with print speeds as quick as 12 ppm for colour and 16 ppm for black and white.
- When you're ready to print, this printer jumps in to action, with a first-page-out time as fast as 14 seconds for black and white, 17 seconds for colour.
- With a 333 MHz processor and 128 MB of memory (expandable to 1,152 MB), the Phaser 6130 quickly handles complex print jobs – even pages with graphics, photos and charts.

### Outstanding colour


**Colour or black and white, the Phaser 6130 printer takes your office printing seriously, delivering outstanding results page after page.**

- A print resolution of up to 600 x 600 x 4 dpi delivers an amazing 16 shades of colour per pixel. That means a wider colour range for more impressive business graphics.
- Unique Xerox Emulsion Aggregate High Grade (EA-HG) toner technology – with particles engineered to have uniform size and shape – gives you crisp text and printed images with superior detail and clarity. It's the same high-quality toner used in our professional graphic-arts colour devices.
- True Adobe® PostScript® 3™ and PCL6 print languages ensure your jobs are printed accurately every time.
- PANTONE® Colour approved solid colour simulations and Xerox colour correction technology provide easy tools for precisely matching the colours of important business assets, such as company logos.

The intuitive front panel interface gives users quick and easy access to the printer's built-in features and settings.



Quickly check toner levels on the printer's front panel display or at your computer.



## Technology that makes printing easy.

### Easy in the office...

A pure pleasure to operate, the Phaser 6130 printer always provides maximum ease of use.

- The standard 250-sheet paper tray supports a wide range of custom media and sizes, from labels to card-stock to envelopes. A convenient manual feed slot lets users feed single-sheet media and envelopes without opening and loading the paper tray.
- PrintingScout® works like a behind-the-scenes troubleshooter, delivering instant pop-up messages right to your desktop if print issues arise.
- Super-quiet operation lets you keep your printer nearby for distraction-free convenience.
- Optional RAM storage lets you store frequently printed documents on the device for quick and easy walkup printing. It also adds useful features like collating and proof printing, and increases security by requiring a password before printing.
- The Run Black feature lets the Phaser 6130 keep printing in black and white even if it runs out of colour toner.

### ...easy on the network

The Phaser 6130 printer easily fits your network and your workgroup, making more people more productive.

- Easy installation onto the network and pre-loaded toner cartridges make this printer virtually plug-and-play. It's so easy, you'll have it up and printing in minutes.
- The CentreWare IS internal web server lets users check the status of a print job or manage the device without leaving their computers.
- Support for Apple Bonjour™ (standard) and easy-to-use print drivers for both PCs and Macs make your new printer perform beautifully in mixed environments.
- Get additional network protocols and security features, including IPv6 support, with the optional multi-protocol network card.

Only four replacement items: the ultra-slim, easy-to-load toner cartridges that come with far less packaging and take up substantially less storage space.





**Call today.** For more information, call **00 800 9000 9090** or visit us at **www.xerox.com/office**



Phaser 6130	
<b>Speed</b>	Up to 12 ppm colour / 16 ppm black and white
<b>Duty cycle</b>	Up to 40,000 pages / month <sup>1</sup>
<b>Paper Handling</b>	
Paper input	<b>Tray 1:</b> 250 sheets, Custom sizes: 76.2 x 127 mm to 216 x 355.6 mm <b>Manual Feed Slot:</b> 1 sheet, Custom sizes: 76.2 x 127 mm to 216 x 355.6 mm
Paper output	150 sheets
<b>Print</b>	
First-page-out time	As fast as 17 seconds colour / 14 seconds black and white
Resolution (max)	600 x 600 x 4 dpi
Processor	333 MHz
Memory (std / max)	128 MB / 1,152 MB
Connectivity	10/100 Base-TX Ethernet, USB 2.0
Page Description Languages	PCL® 6 emulation, Adobe® PostScript® 3™
Print features	Skip blank pages, N-up, Fit to new page size, Booklet printing <sup>2</sup> , Watermarks <sup>2</sup> , Poster <sup>2</sup> , Banner sheets <sup>2</sup> , Secure Print <sup>3</sup> , Proof Print <sup>3</sup> , RAM collation <sup>3</sup>
<b>Warranty</b>	One year on-site warranty

<sup>1</sup> Print volume uniformly distributed over 30 days  
<sup>2</sup> Accessed via PCL driver  
<sup>3</sup> Requires minimum 256 MB RAM

**Device Management**

CentreWare® IS Embedded  
 Web Server, CentreWare Web,  
 PrintingScout®, Email alerts

**Print Drivers**

Windows® 2000/2003 Server/XP/XP  
 Home Edition (SP1 or higher), Vista,  
 Mac OS®X version 10.2 or higher,  
 Linux: SUSE™ 9.2/9.3, Turbo Linux™  
 10, Red Hat® ES3/ES4, Fedora™ Core  
 1, Yellow Dog 3.X

**Font Support**

PostScript® fonts: 136; PCL® fonts: 81

**Media Handling**

Media weights: 64–220 gsm  
 Manual two-sided printing:  
 64–164 gsm  
 Media types: Plain paper, glossy  
 coated, envelopes, labels, card stock,  
 business cards

**Maximum Printable Area**

208 mm x 348 mm (5 mm border)

**Colour Standards**

PANTONE® Colour approved solid  
 colour simulations, Xerox Colour  
 Correction, ICC Profile

**Operating Environment**

Temperature: Storage: 0° to 35° C,  
 operating: 10° to 32° C  
 Humidity: 15% to 80%  
 Sound pressure levels:  
 Printing: 51.6 dB(A)  
 Standby: 25.7 dB(A)  
 Sound power levels: Printing: 6.46 B,  
 Standby: 4.30 B  
 Warm-up time: 30 seconds or less

**Electrical**

Power: 220–240 VAC, 50/60 Hz  
 Power consumption: Standby: <50 W  
 Printing: 280 W or less  
 Power save: 5 W or less  
 ENERGY STAR® qualified

**Dimensions (WxDxH)**

400 x 394 x 389 mm  
 Weight: 17.2 kg

**Certifications**

FCC Part 15, Class B, Listed UL 60950-1/  
 CSA 60950-1-03, CE Mark applicable  
 to Directives 73/23/EEC and 89/336/  
 EEC, Section 508 ADA

**Supplies**

Toner Cartridge<sup>1</sup>:  
 Black: 2,500 std. pages 106R01281  
 Cyan: 1,900 std. pages 106R01278  
 Magenta: 1,900 std. pages 106R01279  
 Yellow: 1,900 std. pages 106R01280

<sup>1</sup> Average Continuous Composite CMY Yield in  
 accordance with ISO/IEC 19798. Yield will vary  
 based on image, area coverage and print mode.

**Options**

256 MB Phaser Memory 097S03743  
 512 MB Phaser Memory 097S03635  
 Multi-Protocol Network Card 097S03745  
 Wireless Network Adapter  
 –European Power Converter 097S03741  
 –UK Power Converter 097S03742

